

## ICAR-Central Institute for Cotton Research

### Weekly Advisory for Cotton Cultivation from 23<sup>rd</sup> to 29<sup>th</sup> June 2015

*"The advisory is based on inputs received from the State Agricultural Universities of the respective states"*

#### WEATHER ADVISORY

State/Districts	Rainfall (mm) JUNE							Advisory
	Date	23	24	25	26	27	28	
<b>PUNJAB</b>								
Bathinda		7	44	0	0	0		
Ferozepur		12	48	7	0	0		
Muktsar		12	50	4	0	0		
Mansa		7	44	0	0	0		
<b>HARYANA</b>								
Sirsa		7	50	8	0	0		
Hissar		7	21	8	0	0		
Fatehabad		7	27	8	0	0		
<b>RAJASTHAN</b>								
Hanumangarh	1	5	15	3	2			
Sri Ganganagar	1	5	15	3	2			
Banswara	3	8	12	15	2			
<b>ORISSA</b>								
Koraput		0	5	8	5	9		
Kalahandi		19	6	0	0	3		
Balagir		28	9	0	0	0		
<b>GUJARAT</b>								
Amreli	12	100	90	22	0	0		
Bhavnagar	31	56	29	3	0	0		
Jamnagar	1	200	174	56	0	0		
Rajkot	12	144	159	56	0	0		
Broach	1	62	59	11	5	0		
Sabarkantha		0	57	50	47	11		
Surendranagar		68	159	56	0	0		
Ahmedabad	2	26	66	39	0	0		
Vadodara	2	83	83	26	35	5		
Patan	4	11	100	41	30	0		
Mehsana	1	5	57	52	20	0		
<b>MADHYA PRADESH</b>								
Khargaon	5	66	20	3	10	9	18	
Dhar	10	193	36	9	3	17	19	
Khandwa	10	61	3	4	5	17	16	
<b>MAHARASHTRA</b>								
Nagpur	15	11	3	0	0	0	0	
Wardha	12	6	2	0	0	0	0	
Chandrapur	21	1	3	0	0	0	2	
Yavatmal	1	1	2	0	0	0	0	
Amravati	25	12	4	2	5	4	2	
Akola	22	10	3	0	0	0	0	

Buldhana			2	3	1	3	0	
Parbhani	5	4	8	0	7	0	0	
Nanded	12	2	7	0	9	0	0	
Beed	18	4	3	0	6	0	0	
Washim	3	3	2	0	0	0	0	
Dhule	0	4	5	10	20	17	15	Immediate sowing is a MUST in rainfed areas. Late sown crop will face moisture stress in rainfed farms in the districts.
Jalgaon	2	2	8	0	3	6	3	
Jalna	8	3	7	0	0	0	3	
Aurangabad	4	5	6	10	13	11	15	
<b>TELANGANA</b>								
Adilabad	1	3	5		4	0	0	This week is the best time for sowing in the state. Rains are predicted in the first two weeks of July in Adilabad. In rest of the districts, cloudy conditions with sporadic drizzle is predicted. Moderate rains are predicted from 8th to 30th July in districts other than Adilabad. Sowing MUST be completed this week in all rainfed farms.
Warangal	2	0	6		8	5	0	
Khammam	3	4	5		8	6	3	
Karimnagar	3	0	5		0	0	0	
Nalgonda	1	0	5		0	0	0	
<b>AP</b>								
Guntur	8	6	5		8	4	0	Sowing should be taken up in irrigated regions.
Prakasam	3	5	3		6	0	3	
<b>KARNATAKA</b>								
Dharwad	4	12	15	9	7	6		Sowing MUST be taken up immediately in rainfed tracts. In irrigated farms Bt-cotton hybrids may be sown as early as possible.
Haveri	3	12	6	5	6	5		
Mysore	5	9	6	5	4	3		
<b>TAMILNADU</b>								
Perambalur	0	0	0	0	0	0		Irrigate the crop wherever possible to ensure that the crop does not face any moisture stress during the boll formation stage
Salem	1	0	0	0	0	0		
Tiruchi		0	0	0	0	0		
Virdunagar	0	0	0	0	0	0		

Legend					
Rainfall in mm	< 5	5-20	20-50	50-80	> 80